

2001 SEAARK 23VC Commander

SAMA1276I101

Twin Mercury Outboards

Model 200XLEFI

S/N 2002 OT444128

2005 1B189537

LOA -----24'11"

Beam----- 8'6"

Fuel-----100gal

Draft (with Motors in tilted up position)-----18"

Working Aft-deck ----- 54.66 sqft.

Cabin Size-----42.66 sqft.

Heavy Duty All Aluminum Commercial service hull

Built-in swim platform

VC Commander Twin Outboard

Standard Equipment

- Heavy duty, commercial service hull 20° deadrise @ transom, 50° forward
- Hull lifting strakes - 2 per side
- 5-in. wide chines, tapering to 2 in. forward
- Radiused bow section
- Uni-frame deep web hull structure
- 11-in. wide side decks
- Stern quarter decks
- Heavy duty 3-in. D-shape rubber bumper
- 3 Heavy duty 2 1/2-in. mooring bitts (10-in. SS cleats optional)
- Welded heavy duty bow eye
- Welded heavy duty tow bit
- Welded heavy duty tow line guide
- Under-deck fuel tank cavity (100 gallon tank optional)
- Foam flotation - fully foamed outboard of longitudinals and quarter boxes
- Mechanical steering with stainless wheel and single cable (hydraulic and dual cable optional)
- Navigation lights
- Self bailing - 100% welded cockpit
- Cockpit drain tubes and transom flaps
- Full height motor well bulkhead with 10-in. bilge pump access hatch
- Battery and VRO storage under motorwell
- Reinforced bow deck with open storage (bulkheads/hatches optional)
- 3700 GPH bilge pump with auto/manual control
- Winter drain pug
- Polyurethane paint with primers
- Non-skid weather decks

- 8-gang switch panel with L.E.D. on-lights, 50 amp klaxon main breaker and dash dimmer switch

Commander VC/Cabin Standard

- Welded aluminum 6 ft. cabin (open aft) with 6 ft./4 in. headroom (cabin extensions and aft wall with door optional)
- Full width dash with gauge pod
- Dash grab rail
- 2 aluminum framed, fixed forward windows, 1/4-in. safety glass
- 2 aluminum framed, sliding side windows, 1/4-in. safety glass
- Insulated cabin roof with headliner
- Painted interior cabin sides (insulation and liner for cabin sides and hull optional)
- 2 upholstered pilot seats with slides
- Pilot seats boxes with open-faced storage compartments
- 1-meter folding light mast on roof
- 1 windshield wiper (2nd optional)
- Electric twin horn
- Manual search light, roof mounted
- Cabin roof hand rails

Commander Series Standard Construction Details

Bottom Plating	3/16 in.	Bulkhead Plating	1/8 in.
Side Plating	3/16 in.	Transom Plating	1/4 in.
Chine Plating	3/16 in.	Deep Web Longitudinals	1/8 in.
Bullnose Plating	3/16 in.	Deep Web Transverse,	
Cockpit/Deck Plating	3/16 in.	and Half Frames	1/8 in.
Cabin/Console Plating	1/8 in.	Flat Bar Stringers	1/4 in. X 2 in.

Vessel Options as equipped

HULL

- Rescue Side door entry portside hull 37" opening
- Heavy Duty tow bit with line guide motor guard
- Port and starboard cabin top hand guards
- Four point heavy duty hull lifting points
- Lockable watertight cabin door
- Foldable radar and electronics arch

CABIN

- Coleman Rooftop A/C with Heat Model #6727-737
- Remote spotlight with remote control operation
- Two aft deck light
- One white/red cabin light
- Two 110volt dual plug outlets

- Trim tilt
 - Hydraulic steering with stainless steering wheel
 - Two windshield wipers with wiper delay
 - Insulated cabin
 - Running lights
 - Horn
 - Ritchie compass
 - Azimuth digital compass
 - Lowrance 3500 digital depth gauge
 - 17 sqft. Storage under helm
 - Dual heavy duty rooftop handrails
 - Single handle adjacent to cabin door on aft bulkhead
 - Two air-ride shock mitigating seats
- 1 ea. Kohler Generator Model 5E 5kw

S/n 0721137

Spec PA-19905

Hz 60 RPM 3600

Fuel type Gasoline

Generator 385hrs.

- Heavy duty galvanized EZ Loader trailer mfg by Sunbelt Marine
 - Mfg date 2002 Vin Number 1ZEAANTG32A017862
 - Dual Axle
 - Brakes
 - 9200lb capacity
- This boat is offered as equipped \$105,000.00

Vessel will be offered in good running condition. Vessel outboard Motors will have current compression check data and current service records available upon purchase of vessel. Vessel is currently undergoing exterior painting. Please call for further info. on availability.

850-221-5138